

FIG. 1A




FIG. 1B




FIG. 1C





FIG. 1D



2/9

FIG. 2B




FIG. 2C




FIG. 2A





FIG. 2D



3/9

FIG. 3





FIG. 4



4/9

FIG. 5





FIG. 6



5/9

FIG. 7




FIG. 8




FIG. 9A




FIG. 9B




FIG. 9C




FIG. 9D





FIG. 9E



7/9

FIG. 10A




FIG. 10B





FIG. 10C



8/9

FIG. 11A





FIG. 11B





9/9

Reference numerals in the drawings

- M1 Refrigerator vehicle
- M2 Cold-insulating vehicle
- M3 Room-temperature vehicle
- 1 Collapsible cold-insulating container
- 2 Protective case
- 10, 13 Peripheral wall
- 11, 14 Upper side edge
- 12, 15 Lower side edge
- 16 Lid
- 17 Side edge
- 18 Engaging flap
- 18a Hook-and-loop fastener
- 19 Hook-and-loop fastener
- 20 Hook-and-loop fastener
- 21 Bottom face
- 23 Folding line
- 24 Engaging flap
- 24a Hook-and-loop fastener
- 25 Inner cover
- 26 Cold-storage agent holder
- 27 Bottom face sheet
- 30 Sheet material
- 31 Vacuum heat-insulating material
- 32 Core material
- 33 Jacket material
- 34 Cold-storage agent